# Bacteria TMDL Development for the Upper York River

**Public Meeting #1** 

West Point, VA

**January 20, 2010** 



THE Louis Berger Group, INC.


# Agenda

- Meeting Objective
- Impaired Segments
- Technical Approach
- Data and Information Needs
- Watershed Characterization
- Potential Bacteria Sources
- Next Steps

# **Objective**

 To present and review the <u>steps</u> and the <u>data</u> used in the development of a Bacteria TMDL for the Upper York River


# Bacteria TMDL Development Process



# **Bacteria Impairments**


Based on VADEQ 2008 303(d) List

# Bacteria Impaired Segments and Water Quality Stations: Upper York River



### Bacteria Impaired Segments: Upper York River





# Bacteria Impairments Based on VADEQ 2008 303(d) List

List of Shellfish Waterbodies Requiring TMDL Development							
Cause Group Code	Shellfish Condemnation Area	Waterbody Name	Impairment	Estuary Area (mi²)	Impairment Source		
F26E-20-SF	049-004A (08/25/2005)	York River	Fecal Coliform	7.218	Unknown		

List of Recreation Waterbodies Requiring TMDL Development								
Cause Group Code	Waterbody Name	Impairment	Estuary Area (mi²)	Impairment Source				
F26E-05-BAC	York River	Enterococcus	6.966	Unknown				
F14E-03-BAC	Pamunkey River	Enterococcus	4.368	Unknown				
F25E-01-BAC	Mattaponi River	Enterococcus	2.535	Unknown				
		Total	13.899					

# Water Quality Standards

VADEQ specifies the following bacteria criteria to protect shellfish and recreational uses (VA DEQ, 2008):

#### **Fecal Coliform**

- Geometric Mean:
  - > 14 cfu/100mL
- 90<sup>th</sup> Percentile:
  - > 49 cfu/100mL

#### Enterococci

- Geometric Mean:
  - ➤ 35 cfu/100ml (applies to 2 or more samples obtained in 1 calendar month)
- Single Sample Maximum (SSM):
  - >104 cfu/100mL

# VDH-DSS Fecal Coliform (shellfish) Exceedances at Stations in the Upper York River: All Tidal Conditions

All Tidal Conditions									
		Sampl	e Date		Exceedances				
					Geome	etric Mean	90th P	ercentile	
Station ID	Stream	First	Last	#	#	%	#	%	
48-102		1/10/1985	4/29/2009	249	8	3%	60	24%	
49-103		1/10/1985	4/29/2009	241	34	14%	114	47%	
49-104		1/10/1985	4/29/2009	240	54	23%	146	61%	
49-104A		1/10/1985	4/29/2009	237	237	100%	237	100%	
49-104B		1/10/1985	4/29/2009	218	218	100%	218	100%	
49-105		1/10/1985	4/29/2009	241	119	49%	160	66%	
49-106	Upper York River	1/10/1985	4/29/2009	241	169	70%	206	85%	
49-107		1/10/1985	4/29/2009	241	175	73%	201	83%	
49-204		1/10/1985	4/29/2009	241	107	44%	149	62%	
49-205		1/10/1985	4/29/2009	241	180	75%	210	87%	
49-206		1/10/1985	4/29/2009	241	181	75%	232	96%	
49-207		1/10/1985	4/29/2009	241	179	74%	209	87%	
50-202		2/25/1985	4/29/2009	248	25	10%	79	32%	
50-203		2/25/1985	4/29/2009	248	48	19%	151	61%	

# VA DEQ Enterococci Exceedances at Stations in the Upper York River: All Tidal Conditions

All Tidal Conditions							
Station ID	Station ID Stream Bacteria Source		No. of Samples	Single Sample Maximum Exceedances			
				No.	%		
8-MPN004.39	Mattaponi River	Enterococci	63	21	33		
8-PMK006.36	Pamunkey River	Enterococci	79	35	44		
8-YRK031.39	York River	Enterococci	80	21	26		

# **Technical Approach:**

#### Simplified Volumetric Tidal Model

- Used for small watersheds
- Incorporates point and non-point sources
- EPA accepted
- Time independent
- Uses a mass balance approach over a tidal period (~12 hrs)
- Assumes a completely mixed system (no density, concentration, and volume variations)

# **Linking Sources to Water Quality**

#### Input

Maximum bacteria concentration in the estuary

**Maximum bacteria concentration at boundary (mouth of the estuary)** 

Volumes of water entering the bay, water flowing out of the bay, and net freshwater

Total daily bacteria die off rate

#### Model



#### Simplified Volumetric Tidal Model

Mass balance approach over an average tidal period (~12 hrs)

**Completely mixed system (no density and concentration variations)** 



#### Output

#### **Total Bacteria Load Capacity in the Impaired Waterbody**


- Existing Load
- Allocated Load

# Data and Information Needs for the Bacteria TMDL

- Watershed physiographic data (land use distribution)
- Hydrographic data (tidal range, bathymetry, flow)
- Potential Pollutant Sources:
  - Septic Systems and Straight Pipes
  - > Livestock
  - > Wildlife
  - > Pets
- Water Quality Monitoring Data (VADEQ, VDH-DSS stations)

# **Watershed Characterization**

# Overview of the Upper York River Watershed



Total Area: 106,392 acres

**Three Counties:** 

- ➤ King and Queen, King William, New Kent
- **➤ Major Cities:** 
  - > West Point


**Major Roads:** 

> Highway 249, 273, 30 and 33

**Main tributaries:** 

> Pamunkey River and Mattaponi River

#### **Watershed Landuse**



Used the most recent land use data:

National Land Cover Dataset (NLCD) 2005

Total Area: 106,392 acres

#### **Dominant land uses:**

Forest: 44% (46,566 acres)

Water/Wetland: 30% (31,943 acres)


#### **Not dominant land uses:**

**Urban:** 2 % (2,582 acres)

**Agriculture:** 15 % (15, 743 acres)

Other: 9% (9,558 acres)

#### **Point Sources: Permitted Facilities**



# Total No. of Active Facilities: ~41 Individual Permitted Facilities:

Permit Type	Number of Facilities
Municipal	3
Industrial and Other	1
Total	4

#### **General Permitted Facilities:**

Permit Type	Number of Facilities
Stormwater Industrial	5
Stormwater Construction	29
Car Wash, etc.	3
Total	37

### **Potential Bacteria Sources**

- Human Sources (septic "failing or improperly functioning" systems, straight pipes)
- Biosolids (when applied improperly)
- > Livestock
- > Wildlife
- > Pets

# Septic Failures and Straight Pipes by County: Watershed Estimates

#### **Population Estimates for the Upper York River TMDL Watershed**

County	Population <sup>1</sup>	Number of Houses <sup>1</sup>	Number of Houses Public Sewer <sup>2</sup>	Number of Houses on Septic Systems <sup>2</sup>	Number of Houses on "Other Means" <sup>2</sup>	Number of Houses with a Failing Septic System <sup>3</sup>
King and Queen	1,633	802	4	744	54	89
King William	2,322	934	259	629	46	76
New Kent	3,325	1,327	14	1,283	30	154
TOTAL	7,281	3,063	277	2,657	130	319

<sup>&</sup>lt;sup>1</sup> Census 2008 estimates

<sup>&</sup>lt;sup>2</sup> Based upon 2008 census estimate and ratio of parameter: 1990 census estimate

<sup>&</sup>lt;sup>3</sup> Based on a septic failure rate of 12% (VA DEQ 2005)

### **Estimates: Livestock in Watershed**









#### **Livestock Present in the Upper York River TMDL Watershed**

County	Cattle	Pigs	Poultry	Horses	Sheep
King and Queen	339	N/A	36	73	20
King William	258	64	68	37	10
New Kent	124	4	129	75	12
TOTAL	721	67	232	185	42

- Data are based on information summarized by the Center for Costal Resource Management (CCRM)
- •N/A Not Available

### **Estimates: Wildlife by County and Watershed**







The state of the s							
Wildlife Densities in the TMDL Watersheds <sup>1</sup>							
Wildlife type	Population Density	Habitat Requirements					
Deer	0.047 animals/acre	Entire watershed					
Raccoon (low density)	10/square mile	Upland forest					
Raccoon (high density)	50/square mile	Bottomland forest, marsh, swamp, along streams					
Muskrat (low density)	2 animals/mile	16/mile of ditch or medium sized stream intersecting					
Muskrat (high density)	15 animals/mile	agriculture crop fields, 8/mi of medium sized stream intersecting pasture fields, 10/mi of pond or lake edge,					
Muskrat (average density)	10 animals/mile	50/mi of slow-moving river					
Beaver (low density)	1.0/mi of permanent streams and rivers						
Beaver (high density)	14.5/mile	Permanent streams and rivers					
Beaver (average density)	4.8/mile						
Goose	0.02 animals/acre	Entire Watershed					
Canadian Goose							
Mallard	http://migbirdapps.fws.	Deced an neuticular strate for watershed area					
Wood Duck	gov/	Based on particular strata for watershed area					
Black Duck							
Wild Turkey	0.01 animals/acre	Entire watershed excluding urban land uses					
1 Source: Department of Game and Inland Fisheries (DGIF)							

<sup>&</sup>lt;sup>1</sup> Source: Department of Game and Inland Fisheries (DGIF)

### **Estimates: Wildlife in Watershed**

Wildlife Present in the Upper York River TMDL Watershed <sup>1</sup>

					1			T	
County	Acres	Canadian Geese	Black Duck	Wood Duck	Mallard	Deer	Raccoon	Muskrat	Beaver
King and Queen	49,068	99	0	0	99	2,306	1,690	1,251	237
·									
King William	26,433	53	0	0	53	1,242	1,215	949	180
New Kent	26,224	53	0	0	53	1,233	1,247	820	155
TOTAL	101,724	206	0	0	206	4,781	4,152	3,021	572

Differences in totals are due to rounding.

<sup>&</sup>lt;sup>1</sup> Source: Department of Game and Inland Fisheries (DGIF)

### **Estimates: Pets in Watershed**

Pet Present in the Upper York River TMDL Watershed						
County	Households	Dogs	Cats			
King and Queen	802	436	476			
King William	934	507	554			
New Kent	1,327	720	787			
TOTAL	3,063	1,663	1,816			

#### Pet inventories based on:

• Cats: 0.598 per household and

• Dogs: 0.543 per household

American Veterinary Medical Association (AVMA) estimates


# Bacteria Source Tracking (BST)

- BST data were collected at one station by Virginia Department of Health (VDH)
  - > 1 station on the Upper York River
- A total of 10 sampling events at each station between October 2005 and September 2006
- Results indicate that bacteria sources from human, livestock, wildlife, and pet are present in the watershed
- The BST distribution will be used to develop the TMDL allocations in the shellfish and recreation impairments of the York River
- No BST performed in the Mattaponi or Pamunkey Rivers therefore population estimates will be used to develop TMDL allocations.

# **Location of Monitoring Stations for Bacteria Source Tracking (BST)**



#### **Bacteria Source Tracking, Upper York River**




# **Bacteria Source Tracking**

Computed Weighted BST Fractions							
Segment	Station	Wildlife	Human	Livestock	Pets		
Upper York River	49-207	55%	12%	22%	11%		

Note: Population estimates will be used to develop TMDL allocations for the Mattaponi and Pamunkey Rivers since no BST was performed in those rivers

#### **Bacteria Source Tracking, Upper York River**



# **Next Steps**

- 30-day comment period starts tomorrow Ends on February 20th, 2010
- 2<sup>nd</sup> Public Meeting (TBA)
  - ➤ Draft TMDL Allocation
  - ➤ Draft TMDL Report
  - ≥2<sup>nd</sup> comment period
- Present to EPA and SWCB for approval
- Implementation Planning

### **TMDL Contacts**



Margaret Smigo, VA DEQ 4949-A Cox Road Glen Allen, VA 23060

Phone: (804) 527-5124

Fax: (804) 527-5106

Email: Margaret.Smigo@deq.virginia.gov



#### The Louis Berger Group, Inc.

Raed M. EL-Farhan (202) 331-7775 relfarhan@louisberger.com